European Journal of Biochemistry

Volume 180 1989

Honorary Chairman Frederick Sanger, Cambridge

Editorial Board
Philipp Christen, Zürich, *chairman*
Michael J. Clemens, London
Cornelis W. Hilbers, Nijmegen
Eberhard Hofmann, Leipzig, *reviews editor*
Louis Hue, Bruxelles
Pierre Jollès, Paris
Claude Liébecq, Liège
Walter Neupert, München
David G. Nicholls, Dundee
Gösta Pettersson, Lund

Advisory Board
R. Arnon, Rehovot
S. Avrameas, Paris
B.E.C. Banks, London
A. Bernardi, Gif-sur-Yvette
H. Betz, Heidelberg
T.A. Bickle, Basel
A. Böck, München
J. Bremer, Oslo
R.L.C. Brimacombe, Berlin
A. Cornish-Bowden, Marseille
R. Cortese, Heidelberg
C. Crane-Robinson, Portsmouth
R. R. Crichton, Louvain-la-Neuve
M. Crompton, London
L.B. Dolapchiev, Sofiya
J.O. Dolly, London
H. Durchschlag, Regensburg
J. Duszynski, Warszawa
H. Eisenberg, Rehovot
R.J. Ellis, Coventry
H. Fasold, Frankfurt
T. Feizi, Harrow
J. Filipski, Paris
J. Finne, Turku
A. Fontana, Padova
F. Franěk, Praha
D.C. Gallwitz, Göttingen
G.P. Georgiev, Moskva
S. Ghisla, Konstanz
F. Goñi, Bilbao
H. Grosjean, Rhode-St-Genèse
D.G. Hardie, Dundee
D.H. Hayes, Paris
C.-H. Heldin, Uppsala
F.W. Hemming, Nottingham
F. Hucho, Berlin
R.C. Hughes, London
M.Jacob, Strasbourg
K.H. Jakobs, Heidelberg
H. Jörnvall, Stockholm
K. Jungermann, Göttingen
J.E. Kay, Brighton
M. Klingenberg, München
W.N. Konings, Haren
R. Kraayenhof, Amsterdam
G. Kreil, Salzburg
C.J. Leaver, Edinburgh
L. Lehle, Regensburg
J.-M. Lhoste, Orsay
K. Martinek, Praha
W.J. Möller, Leiden
M. Monsigny, Orléans
I. Pecht, Rehovot
L.A. Pinna, Padova
A. Puigserver, Marseille
T.A. Rapoport, Berlin
J.G. Reich, Berlin
J. Rétey, Karlsruhe
J. Ricard, Marseille
E. Rickli, Bern
H. Rüterjans, Frankfurt
M.V. Saraste, Helsinki
M.C. Scrutton, London
V. Sgaramella, Pavia
A.E. Sippel, Heidelberg
V.P. Skulachev, Moskva
C. Sluse-Goffart, Liège
J.M. Tager, Amsterdam
R.K. Thauer, Marburg
R. Timpl, Martinsried
I.P. Trayer, Birmingham
V. Ullrich, Konstanz
J. Vandekerckhove, Gent
C. Veeger, Wageningen
P. Venetianer, Szeged
A. Verbert, Villeneuve-d'Ascq
P.V. Vignais, Grenoble
J.F.G. Vliegenthart, Utrecht
K. von Figura, Göttingen
R.J.P. Williams, Oxford
K.W.A. Wirtz, Utrecht
A.V. Xavier, Lisboa

Editorial Office A. Roller, J. Aitken, C. Ryle, J. Mathews, R. Agosti
Postfach A152, Apollostrasse 2, CH-8032 Zürich, Switzerland

Published by Springer International on behalf of the Federation of European Biochemical Societies

The exclusive copyright for all languages and countries, including the rights for photographic reproduction, electronic data base, video disks, or any other reproduction of text, figures, or tables from this journal, also in microform, is vested in the Federation of European Biochemical Societies.

The use of general descriptive names, trade names, trade marks, etc., in this publication, even if the former are not specifically identified, is not to be interpreted that such names are exempt from the relevant protective laws and regulations and may accordingly be used freely by anyone.

Individuals may reproduce material published in this journal when writing a review or book as long as they make proper acknowledgement to the origin of the material and obtain the author(s)' permission if this condition applies.

Springer Verlag Berlin Heidelberg New York

Printers: Wiesbadener Graphische Betriebe GmbH, Wiesbaden

Printed in Germany

Copyright © by the Federation of European Biochemical Societies 1989

Volume 180 1989

Table of contents

No. 1 1–248 issued on March 1, 1989
No. 2 249–484 issued on March 15, 1989
No. 3 485–678 issued on April 1, 1989

Author and Keywords Index Volumes 171–180, 1988–1989 607–678

Corrections 603

Numbering of atoms in *myo*-inositol. Recommendations 1988
Nomenclature Committee of the International Union of Biochemistry (NC-IUB) 485–486

Review

Structure and biological activity of basement membrane proteins
R. Timpl 487–502

Nucleic acids, protein synthesis and molecular genetics

The histidine residue of codon 715 is essential for function of elongation factor 2
F. Omura, K. Kohno and T. Uchida 1– 8

Gene expression in regenerating liver in relation to cell proliferation and stress
J. Sobczak, M.-F. Tournier, A.-M. Lotti and M. Duguet 49– 53

Molecular cloning, primary structure and disruption of the structural gene of aldolase from *Saccharomyces cerevisiae*
H. G. Schwelberger, S. D. Kohlwein and F. Paltauf 301–308

Oxacillin-hydrolysing β-lactamases – A comparative analysis at nucleotide and amino acid sequence levels
D. Mossakowska, N. A. Ali and J. W. Dale 309–318

Study of the arrangement of the functional domains along the yeast cytoplasmic aspartyl-tRNA synthetase
G. Prevost, G. Eriani, D. Kern, G. Dirheimer and J. Gangloff 351–358

Acridine dimers: influence of the intercalating ring and of the linking-chain nature on the equilibrium and kinetic DNA-binding parameters
J. Markovits, C. Garbay-Jaureguiberry, B. P. Roques and J.-B. Le Pecq 359–366

Specific dephosphorylation by phosphatases 1 and 2A of a nuclear protein structurally and immunologically related to nucleolin – Possible influence on the regulation of rRNA synthesis
H. R. Schneider, G. Mieskes and O.-G. Issinger 449–455

cDNA sequence of adrenodoxin reductase – Identification of NADP-binding sites in oxidoreductases
I. Hanukoglu and T. Gutfinger 479–484

On the role of the termination factor RF-2 and the 16S RNA in protein synthesis
A. Lang, C. Friemert and H. G. Gassen 547–554

Gene synthesis, expression in *Escherichia coli* and purification of immunoreactive human insulin-like growth factors I and II – Application of a modified HPLC separation technique for hydrophobic proteins
M. Hummel, H. Herbst and H. Stein 555–561

Changes in mRNA levels of rat pancreatic lipase in the early days of consumption of a high-lipid diet
C. Wicker and A. Puigserver 563–567

Protein chemistry and structure

The high-affinity binding of laminin to cells – Assignation of a major cell-binding site to the long arm of laminin and of a latent cell-binding site to its short arms
V. Nurcombe, M. Aumailley, R. Timpl and D. Edgar 9– 14

Purification and characterization of a methionine-specific aminopeptidase from *Salmonella typhimurium*
P. Wingfield, P. Graber, G. Turcatti, N. R. Movva, M. Pelletier, S. Craig, K. Rose and C. G. Miller 23– 32

Specificity of antibodies to sea anemone toxin III and immunogenicity of the pharmacological site of anemone and scorpion toxins
E. M. Bahraoui, M. El Ayeb, C. Granier, L. Beress and H. Rochat 55– 60

Correlation between enzyme activity and hinge-bending domain displacement in 3-phosphoglycerate kinase
M. A. Sinev, O. I. Razgulyaev, M. Vas, A. A. Timchenko and O. B. Ptitsyn 61– 66

Primary structures of rat and bovine liver mitochondrial aldehyde dehydrogenases deduced from cDNA sequence
J. Farrés, K. S. L. Guan and H. Weiner 67– 74

The primary structure of the *Chloroflexus aurantiacus* reaction-center polypeptides
J. A. Shiozawa, F. Lottspeich, D. Oesterhelt and R. Feick 75– 84

Inhibitors of protein phosphatase-1 – Inhibitor-1 of bovine adipose tissue and a dopamine- and cAMP-regulated phosphoprotein of bovine brain are identical
P. Strålfors, H. C. Hemmings Jr. and P. Greengard 143–148

Comparison of the amino acid sequence of the lytic enzyme from broad-host-range bacteriophage PRD1 with sequences of other cell-wall-peptidoglycan lytic enzymes
T. M. Pakula, H. Savilahti and D. H. Bamford 149–152

The primary structure of alcohol dehydrogenase from *Drosophila lebanonensis* — Extensive variation within insect 'short-chain' alcohol dehydrogenase lacking zinc
A. Villarroya, E. Juan, B. Egestad and H. Jörnvall 191–197

Properties of D-amino-acid oxidase from *Rhodotorula gracilis*
M. P. Simonetta, L. Pollegioni, P. Casalin, B. Curti and S. Ronchi 199–204

Human insulin-like-growth-factor-binding protein — Low-molecular-mass form: protein sequence and cDNA cloning
H. Luthman, J. Söderling-Barros, B. Persson, C. Engberg, I. Stern, M. Lake, S. Å. Franzén, M. Israelsson, B. Rådén, B. Lindgren, L. Hjelmqvist, S. Enerbäck, P. Carlsson, G. Bjursell, G. Povoa, K. Hall and H. Jörnvall 259–265

Monoclonal antibodies against antithrombin III — Identification of their epitopes and effects on antithrombin III activities
S. Knoller and N. Savion 319–326

A new crystal form of ricin-OR
W. R. Chang, L. Chen, J. Rose, C. H. Wei, L. Abrams, M. Sax and B. C. Wang 327–328

Nuclear basic protein transition during sperm differentiation — Primary structure of the spermatid-specific protein S2 from the dogfish *Scylliorhinus caniculus*
M. Chauvière, A. Martinage, G. Briand, P. Sautière and P. Chevaillier 329–335

Conversion of human erythrocyte acetylcholinesterase from an amphiphilic to a hydrophilic form by phosphatidylinositol-specific phospholipase C and serum phospholipase D
J.-P. Toutant, W. L. Roberts, N. R. Murray and T. L. Rosenberry 503–508

Reaction of bovine-liver copper-zinc superoxide dismutase with hydrogen peroxide — Evidence for reaction with H_2O_2 and HO_2^- leading to loss of copper
S. L. Jewett, S. Cushing, F. Gillespie, D. Smith and S. Sparks 569–575

Enzymology

Purification and characterization of yeast anthranilate phosphoribosyltransferase
U. Hommel, A. Lustig and K. Kirschner 33– 40

Effect of the microenvironment on the kinetic properties of immobilized enzymes
V. Bille, D. Plainchamp, S. Lavielle, G. Chassaing and J. Remacle 41– 47

Purification and characterization of trypsin from the poikilotherm *Gadus morhua*
B. Ásgeirsson, J. W. Fox and J. Bjarnason 85– 94

Aspartate aminotransferase isoenzymes in *Leptosphaeria michotii* — Properties and intracellular location
M. Romestant, S. Jerebzoff, J. Noaillac-Depeyre, N. Gas and R. Dargent 153–159

The kinetics of the thermal deactivation of transglutaminase from guinea-pig liver
S. Nury, J. C. Meunier and A. Mouranche 161–166

Purification and characterization of 6-pyruvoyl tetrahydropterin synthase from salmon liver
T. Hasler and H.-C. Curtius 205–211

Transketolase from human leukocytes — Isolation, properties and induction of polyclonal antibodies
A. Mocali and F. Paoletti 213–219

Trypanothione reductase from *Trypanosoma cruzi* — Catalytic properties of the enzyme and inhibition studies with trypanocidal compounds
M. C. Jockers-Scherübl, R. H. Schirmer and R. L. Krauth-Siegel 267–272

Role of a sulfhydryl group in gastric lipases — A binding study using the monomolecular-film technique
Y. Gargouri, H. Moreau, G. Pieroni and R. Verger 367–371

The stereospecificity of the ferrous-ion-dependent alcohol dehydrogenase from *Zymomonas mobilis*
A. Glasfeld and S. A. Benner 373–375

Inhibition and active-site modelling of prolidase
G. F. King, M. J. Crossley and P. W. Kuchel 377–384

The glycogen-binding subunit of protein phosphatase-1_G from rabbit skeletal muscle — Further characterisation of its structure and glycogen-binding properties
M. J. Hubbard and P. Cohen 457–465

Purification of ATP diphosphohydrolase from bovine aorta microsomes
K. Yagi, Y. Arai, N. Kato, K. Hirota and Y. Miura 509–513

Studies of the functional topography of *Escherichia coli* RNA polymerase — A method for localization of the sites of affinity labelling
M. A. Grachev, E. A. Lukhtanov, A. A. Mustaev, E. F. Zaychikov, M. N. Abdukayumov, I. V. Rabinov, V. I. Richter, Y. S. Skoblov and P. G. Chistyakov 577–585

Carbohydrates, lipids and other natural products

Structural studies on the fucosamine — containing O-specific polysaccharide of *Proteus vulgaris* O19
E. V. Vinogradov, W. Kaca, Y. A. Knirel, A. Różalski and K. Kochetkov 95– 99

Analysis of *N*-acetyl-4-*O*-acetylneuraminic-acid-containing N-linked carbohydrate chains released by peptide-N^4-(*N*-acetyl-β-glucosaminyl)asparagine amidase F — Application to the structure determination of the carbohydrate chains of equine fibrinogen
J. B. L. Damm, H. Voshol, K. Hård, J. P. Kamerling and J. F. G. Vliegenthart 101–110

Neutral glycolipids of atherosclerotic plaques and unaffected human aorta tissue
N. V. Prokazova, D. N. Mukhin, A. N. Orekhov, E. M. Gladkaya, V. V. Vasilevskaya, I. A. Mikhailenko, V. L. Sadovskaya, V. N. Bushuev and L. D. Bergelson 167–171

Interaction of β-very-low-density lipoproteins with rat liver cells
L. Harkes, A. van Duijne and T. J. C. van Berkel 241–248

Solution conformation of sialosylcerebroside (G_{M4}) and its NeuAc(α2→3)Galβ sugar component
L. Poppe, J. Dabrowski, C.-W. von der Lieth, M. Numata and T. Ogawa 337–342

Characterization of the lipid A component of genuine smooth-form lipopolysaccharide
B. Jiao, M. Freudenberg and C. Galanos 515–518

Structural analysis of the nontoxic lipid A of *Rhodobacter capsulatus* 37b4
J. H. Krauss, U. Seydel, J. Weckesser and H. Mayer 519–526

Physical and inorganic biochemistry

Fe(II)-substituted horse liver alcohol dehydrogenase, a model for non-heme iron enzymes — Various states of iron-dioxygen interaction investigated by Mössbauer and EPR spectroscopy
E. Bill, C. Haas, X.-Q. Ding, W. Maret, H. Winkler, A. X. Trautwein and M. Zeppezauer 111–121

Membranes and bioenergetics

The uncoupling protein dimer can form a disulfide cross-link between the mobile C-terminal SH groups
M. Klingenberg and M. Appel 123–131

Identification and localization of the membrane-associated, ATP-binding subunit of the oligopeptide permease of *Salmonella typhimurium*
M. P. Gallagher, S. R. Pearce and C. F. Higgins 133–141

A small isoform of NADH:ubiquinone oxidoreductase (complex I) without mitochondrially encoded subunits is made in chloramphenicol-treated *Neurospora crassa*
T. Friedrich, G. Hofhaus, W. Ise, U. Nehls, B. Schmitz and H. Weiss 173–180

Pyruvate-enhanced phosphorylation potential and inotropism in normoxic and postischemic isolated working heart — Near-complete prevention of reperfusion contractile failure
R. Bünger, R. T. Mallet and D. A. Hartman 221–233

Inhibition of PhoE translocation across *Escherichia coli* inner-membrane vesicles by synthetic signal peptides suggests an important role of acidic phospholipids in protein translocation
T. De Vrije, A. M. Batenburg, W. Jordi and B. De Kruijff 385–392

Biochemical characterization of φX174-protein-E-mediated lysis of *Escherichia coli*
A. Witte and W. Lubitz 393–398

Metabolism and metabolic regulation

Tubulin and MAP2 regulate the PCS_L phosphatase activity — A possible new role for microtubular proteins
C. Jessus, J. Goris, X. Cayla, J. Hermann, P. Hendrix, R. Ozon and W. Merlevede 15–22

Involvement of antizyme in stabilization of ornithine decarboxylase caused by inhibitors of polyamine synthesis
Y. Murakami, M. Nishiyama and S. Hayashi 181–184

Zonal distribution of fatty acid synthase in liver parenchyma of male and female rats
N. Katz, J. Thiele and S. Giffhorn-Katz 185–189

Mechanism of action of cysteinyl leukotrienes on glucose and lactate balance and on flow in perfused rat liver — Comparison with the effects of sympathetic nerve stimulation and noradrenaline
M. Iwai and K. Jungermann 273–281

Comparison of computer simulations of the F-type and L-type non-oxidative hexose monophosphate shunts with ^{31}P-NMR experimental data from human erythrocytes
L. M. McIntyre, D. R. Thorburn, W. A. Bubb and P. W. Kuchel 399–420

In vivo ^{31}P and ^{13}C-NMR studies of ATP synthesis and methane formation by *Methanosarcina barkeri*
H. Santos, P. Fareleira, R. Toci, J. LeGall, H. D. Peck Jr and A. V. Xavier 421–427

Regulation of the cytoplasmic pH by a proton-translocating ATPase in *Streptococcus faecalis* (*faecium*) — A computer simulation
T. Suzuki and H. Kobayashi 467–471

Involvement of glutathione peroxidase activity in the stimulation of 5-lipoxygenase activity by glutathione-depleting agents in human polymorphonuclear leukocytes
A. Hatzelmann, M. Schatz and V. Ullrich 527–533

Metabolism of aspartate in *Mycobacterium smegmatis*
V. Sritharan, P. R. Wheeler and C. Ratledge 587–593

Differentiation of 3T3-L1 pre-adipocytes induced by inhibitors of poly(ADP-ribose) polymerase and by related noninhibitory acids
O.-E. Janssen and H. Hilz 595–602

Signal transduction and molecular neurobiology

Identification of proteins secreted from axons of embryonic dorsal-root-ganglia neurons
E. T. Stoeckli, P. F. Lemkin, T. B. Kuhn, M. A. Ruegg, M. Heller and P. Sonderegger 249–258

Secretion-stimulating and secretion-inhibiting hormones stimulate high-affinity pertussis-toxin-sensitive GTPases in membranes of a pituitary cell line
S. Offermanns, G. Schultz and W. Rosenthal 283–287

A human melanoma-derived cell line (IGR39) with a very high number of vasoactive-intestinal-peptide (VIP) receptors — 1. Molecular characterization of the binding site
J. Luis, J.-M. Martin, A. El Battari, M. Reynier, J. Marvaldi and J. Pichon 429–433

A human melanoma-derived cell line (IGR39) with a very high number of vasoactive-intestinal-peptide (VIP) receptors — 2. Effect of VIP on cAMP production and on cell-surface VIP-binding sites
J.-M. Martin, J. Luis, J. Marvaldi, J. Pichon and P. Pic 435–439

Molecular cell biology

Control of mitochondrial transcription by thyroid hormone
A. Mutvei, S. Kuzela and B. D. Nelson 235–240

Transfection of hepatic genes into adult rat hepatocytes in primary culture and their tissue-specific expression
F. Ginot, J.-F. Decaux, M. Cognet, T. Berbar, F. Levrat, A. Kahn and A. Weber 289–294

Characterization of the interleukin-1-induced tyrosine phosphorylation of a 41-kDa plasma membrane protein of the human tumor cell line K 562
M. Martin, D. H. Lovett, M. Szamel and K. Resch 343–350

Casein kinase II from *Rana temporaria* oocytes — Intracellular localization and activity during progesterone-induced maturation
K. V. Kandror, A. O. Benumov and A. S. Stepanov 441–448

Generation of hydrogen peroxide by cerebral-cortex synaptosomes — Stimulation by ionomycin and plasma-membrane depolarization
F. Zoccarato, R. Deana, L. Cavallini and A. Alexandre 473–478

Domain structure of mitochondrial and chloroplast-targeting peptides
G. von Heijne, J. Steppuhn and R. G. Herrmann 535–545

Developmental biochemistry and immunology

Mutant proteins of human interleukin 2 — Renaturation yield, proliferative activity and receptor binding
U. Weigel, M. Meyer and W. Sebald 295–300

Indexed in *Current Contents*